



HEATERS

POWER ZONE™

HEATERS



ELECTRIC STOVE



0019489

Electric Stove Heater

- 750/1500W
- Controls concealed behind decorative panel
- Realistic, adjustable log flame effect



SAFETY

- Automatic over heat protection system

Two-prong polarized plug
21-1/2"H x 15-3/8"W x 10-3/8"D
UPC: 0 45734 63775 7

SP:1 FP: 1

HEATER / FANS



9879719

2-Function Heater/Fan

- 750/1500W plus fan
- Cool touch housing
- Rotary dial controls



SAFETY

- Automatic over heat protection
- Safety tip-over switch

Two-prong polarized plug
10-1/2"H x 9"W x 5"D
UPC: 0 45734 63266 0

SP: 1 FP: 6



9749490

2-Function Heater/Fan

- 750/1500W plus fan
- Adjustable thermostat
- Adjustable heater angle



SAFETY

- Thermal overload switch

Two-prong polarized plug
9-1/2"H x 9"W x 5-1/4"D
UPC: 0 45734 67098 3

SP: 1 FP: 4

GARAGE AND CEILING HEATERS



1302033

Garage Heater

- 3000/4000/5000W
- Adjustable thermostat w/3 heat settings
- Includes mounting bracket
- Hard wire installation 240V



SAFETY

- Automatic over heat protection

19-3/4"H x 14-1/4"W x 10-5/8"D
UPC: 0 45734 65748 9

SP: 1 FP: 1



5088737

Ceiling Heater

- 750/1500W
- Adjustable angle halogen light
- 90° adjustable heater angle
- Pull string switch



11-1/4"H x 23-7/8"W x 3"D (13-3/4"D w/bracket)
UPC: 0 45734 66752 5

SP: 1 FP: 4

OIL FILLED



3528908

Oil Filled Heater

- 600/900/1500W
- Rotary dial controls
- Front mounted cord wrap
- Casters for easy movement



SAFETY

- Automatic over heat protection
- Safety tip-over switch

Two-prong polarized plug
24-3/4"H x 9-1/2"W x 13-1/4"D
UPC: 0 45734 63317 9

SP:1 FP: 1



8306748

Mini Oil Filled Heater

- 700W
- Rotary dial controls
- Compact space-saving design



SAFETY

- Automatic over heat protection
- Safety tip-over switch

Two-prong polarized plug
15"H x 12-3/4"W x 5-5/8"D
UPC: 0 45734 64254 6

SP: 1 FP: 3

CERAMIC



9929332

Personal Ceramic Heater

- 350W
- LED display
- Adjustable thermostat
- Programmable timer (1-12 hours)



SAFETY

- Automatic over heat protection

Three-prong grounded plug
7-1/2"H x 4-1/2"W x 3"D
UPC: 0 45734 67100 3

SP: 1 FP: 12



9779943

Ceramic PTC Desk Heater

- 350W
- 1,194 BTU
- Cool touch exterior cabinet
- Master power switch



SAFETY

- Automatic over heat protection
- Safety tip-over switch

Two-prong polarized plug
7"H x 3-3/4"W x 3-1/4"D
UPC: 0 45734 67097 6

SP: 1 FP: 16

HEATER SELECTION GUIDE

PARABOLIC HEATERS

Parabolic heaters utilize a parabolic reflector head for wider heat dispersion. Orgill's PowerZone model also features FAR infrared technology for quick heat transfer. For medium size spaces.

INFRARED HEATERS

Infrared heaters work by heating the objects in a room rather than the air, thereby creating a faster, more satisfying warming effect. For medium to large spaces.

CERAMIC HEATERS

Ceramic heaters use ceramic heating elements circulating heat via convection or fan assist. With Positive Temperature Coefficient (PTC) technology. For small to medium size spaces.

OIL FILLED HEATERS

Oil filled heaters circulate heated oil through a radiator which disperses heat via convection. Large models are suitable for heating large spaces.

CERAMIC



0053017

Oscillating Tower Heater

- 750/1500W
- LCD display
- PTC technology
- Oscillating base
- Programmable timer (1-8 hours)



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
24-3/4"H X 8-3/8"W X 9-1/4"D
UPC: 0 45734 63269 1

SP:1 FP: 1



2420958

Oscillating Ceramic Tower Heater

- 900/1500W
- PTC technology
- Rotary dial controls



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
17-3/4"H X 7-1/8"W X 7-1/8"D
UPC: 0 45734 62676 8

SP: 1 FP: 4



7477268

Oscillating Ceramic Heater

- 750/1500W
- PTC technology
- Rotary dial controls
- Oscillating base
- Space-saving design



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
10-1/4"H X 7-1/8"W X 6"D
UPC: 0 45734 63268 4

SP: 1 FP: 6

CERAMIC



9777400

360 Degree Ceramic PTC Heater

- 750/1500W
- PTC technology
- Rotary dial controls
- 360 degree range
- Adjustable thermostat



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
10-1/2"H X 7-1/2"W X 7-1/2"D
UPC: 0 45734 67094 5

SP: 1 FP: 4



3990777

Ceramic Utility Heater

- 750/1500W
- PTC technology
- Rotary dial controls
- Adjustable angle head
- Large carry handle



SAFETY

- Automatic over heat protection system

Two-prong polarized plug
11-1/2"H X 8-1/2"W X 9-1/2"D
UPC: 0 45734 64251 5

SP: 1 FP: 6



4851689

Mini Fireplace Heater w/LED Flame Effect

- 600/1200W + flame only
- PTC technology
- Rotary dial controls
- Space-saving design



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
13-1/8"H X 9-1/4"W X 6-1/16"D
UPC: 0 45734 63650 7

SP: 1 FP: 4

CERAMIC



7880909

Ceramic Heater

- 750/1500W
- Energy efficient PTC technology
- Space-saving design



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
8-1/4"H X 6"W X 4-5/8"D
UPC: 0 45734 63267 7

SP: 1 FP: 6



0013383

Wood Cabinet Heater with Remote

- 1000/1500W with ECO mode
- LED electronic display with remote
- Programmable timer (1-12 hours)



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Three-prong grounded plug
15-3/4"H x 12-1/8"W x 15-3/8"D
UPC: 0 45734 63782 5

SP:1 FP: 1



9757642

Ceramic Utility Heater

- 1000/1500W plus fan only
- Energy efficient PTC technology
- Adjustable thermostat



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
11-1/4"H x 7"W x 6-1/16"D
UPC: 0 45734 67099 0

SP:1 FP: 6

UTILITY HEATERS

Rugged metal construction makes these heaters ideal for garages and workshops.

GARAGE HEATERS

Industrial quality 240V hardwired installation. Fan forced heat with stainless steel NiCr heating element. Suitable for garages and workshops.

RADIANT HEATERS

Radiant heaters utilize a metallic element with heat dispersed via convection. Ideal for smaller spaces.

HEATER FANS

Heater fans disperse heat via an electric fan. Ideal for smaller spaces.

BASEBOARD HEATERS

This low profile, space efficient design is suitable for medium to large spaces.

INFRARED



0514745

Infrared Quartz Tower Heater

- 750/1500W
- Quartz element technology heats quickly
- Adjustable thermostat



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
22-3/4"H x 12-1/2"W x 8-1/4"D
UPC: 0 45734 67081 5

SP:1 FP: 1



9874975

Infrared Quartz Heater with Remote

- 750/1500W
- LED electronic display with remote
- Quartz element technology heats quickly



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
13"H x 9"W x 8-1/8"D
UPC: 0 45734 67095 2

SP:1 FP: 1



9812348

360 Infrared Quartz Heater with Remote

- 1000/1500W with ECO mode
- LED electronic display w/remote + USB port
- Programmable timer (1-12 hours)



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
18-1/2"H x 8"W x 8"D
UPC: 0 45734 67096 9

SP:1 FP: 1

INFRARED



9948605

Parabolic Halogen Heater with FAR

- 400/800W
- FAR infrared technology warms faster
- Parabolic dish for wider heat dispersion
- Oscillating base, timer



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
19-1/4"H x 16"W x 12-1/2"D
UPC: 0 45734 63707 8

SP:1 FP: 1



6186530

Mini Milk House Heater

- 750/1500W
- All metal housing
- Rotary dial control
- Great for garages and workshops



SAFETY

- Automatic over heat protection system

Two-prong polarized plug
12-1/4"H x 7-7/8"W x 6-5/8"D
UPC: 0 45734 65557 7

SP: 1 FP: 6



5524350

Milk House Heater

- 1300/1500W
- All metal housing
- Rotary dial controls
- Great for garages and workshops



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Three-prong grounded plug
15-5/8"H x 9-5/8"W x 7-1/2"D
UPC: 0 45734 63706 1

SP: 1 FP: 4

UTILITY

BASEBOARD



4652202

Baseboard Convection Heater

- 750/1500W
- Low profile space efficient design
- Rotary controls



SAFETY

- Automatic over heat protection system
- Safety tip-over switch

Two-prong polarized plug
12"H x 25-1/4"W x 4-3/4 "D
UPC: 0 45734 64253 9

SP:1 FP: 1