


Custom Electrical Program




Outdoor Grounded Vinyl Cords

- Water & abrasion resistant and flame retardant
- Molded-on plug and connector with heavy duty strain relief won't separate from cord
- Cord stays flexible down to -40°F
- cULus or ETL Intertek Listed for outdoor use



Orgill #	Shelf Pack	UPC # 0-54732-	Description	125V Rating	Plugs
4300786	15	80855-7	8ft 16/3 SJTW Orange Outdoor Extension Cord	13A	NEMA 5-15
4305967	15	80856-4	15ft 16/3 SJTW Orange Outdoor Extension Cord	13A	NEMA 5-15
4322053	12	80857-1	25ft 16/3 SJTW Orange Outdoor Extension Cord	13A	NEMA 5-15
4326849	12	80858-8	50ft 16/3 SJTW Orange Outdoor Extension Cord	13A	NEMA 5-15
4329462	6	80859-5	100ft 16/3 SJTW Orange Outdoor Extension Cord	10A	NEMA 5-15
4332722	12	82053-5	25ft 14/3 SJTW Red Outdoor Extension Cord	15A	NEMA 5-15
4343323	6	82054-2	50ft 14/3 SJTW Red Outdoor Extension Cord	15A	NEMA 5-15
9820317	6	82056-6	50ft 14/3 SJTW Red EZ-Pull Grip Triple-Tap Extension Cord	15A	NEMA 5-15
4346466	3	82055-9	100ft 14/3 SJTW Red Outdoor Extension Cord	13A	NEMA 5-15
4352019	10	80863-2	2ft 12/3 STW Yellow EZ-Pull Grip Triple-Tap Adapter	15A	NEMA 5-15
4354379	6	80864-9	25ft 12/3 SJTW Yellow Outdoor Extension Cord	15A	NEMA 5-15
4366472	4	80865-6	50ft 12/3 SJTW Yellow Outdoor Extension Cord	15A	NEMA 5-15
4369997	2	80866-3	100ft 12/3 SJTW Yellow Outdoor Extension Cord	15A	NEMA 5-15



Outdoor Locking Cords

- Locking connector keeps power tools safely connected
- Power indicator light in the end connector
- Water & abrasion resistant and flame retardant
- Molded-on plug and connector with heavy duty strain relief won't separate from cord
- Cord stays flexible down to -40°F
- cULus or ETL Intertek Listed for outdoor use



Orgill #	Shelf Pack	UPC # 0-54732-	Description	125V Rating	Plugs
8861536	8	83128-9	40ft 16/3 SJTW Black Lighted Locking Outdoor Extension Cord	13A	NEMA 5-15
8957839	6	83129-6	80ft 16/3 SJTW Black Lighted Locking Outdoor Extension Cord	10A	NEMA 5-15



Outdoor Polarized Vinyl Cords



4591031

4561031

4557724

4520615

- Water & abrasion resistant and flame retardant
- Molded-on plug and connector with heavy duty strain relief won't separate from cord
- cUL_{us} or ETL_{us} Listed for outdoor use

Orgill #	Shelf Pack	UPC # 0-54732-	Description	125V Rating	Plugs
4520615	15	82966-8	8ft 16/2 SJTW Orange Outdoor Extension Cord	13A	NEMA 1-15
4557724	12	82967-5	25ft 16/2 SJTW Orange Outdoor Extension Cord	13A	NEMA 1-15
4561031	12	82968-2	50ft 16/2 SJTW Orange Outdoor Extension Cord	13A	NEMA 1-15
4592283	6	82969-9	100ft 16/2 SJTW Orange Outdoor Extension Cord	10A	NEMA 1-15



1-15P



1-15R



High Visibility Cords



4378931

4380333

- Water & abrasion resistant and flame retardant
- Molded-on plug and connector with heavy duty strain relief won't separate from cord
- Cord stays flexible down to -58°F
- cUL_{us} or ETL_{us} Listed for outdoor use

Orgill #	Shelf Pack	UPC # 0-54732-	Description	125V Rating	Plugs
4378931	2	80867-0	80ft 12/3 SJTW -50°C Green High Visibility Extension Cord	15A	NEMA 5-15
4380333	2	80868-7	80ft 12/3 SJTW -50°C Pink High Visibility Extension Cord	15A	NEMA 5-15



5-15P



5-15R

Lawn & Garden Cords

- Colored cords blend in with landscaping, decks and patios
- Ideal for outdoor lighting, grills, bug zappers, etc.
- Great for holiday lighting
- cULus or Intertek Listed for outdoor use



Orgill #	Shelf Pack	UPC # 0-54732-	125V Description	Rating	Plugs
4154910	12	80868-7	8ft 16/3 SJTW Green EZ-Pull Grip Triple-Tap Landscape Extension Cord	13A	NEMA 5-15
9771049	12	81342-1	35ft 16/3 SJTW Green EZ-Pull Grip Triple-Tap Landscape Extension Cord	13A	NEMA 5-15
4389797	12	80869-4	40ft 16/3 SJTW Beige Patio/Deck Extension Cord	13A	NEMA 5-15
9762394	12	81341-4	40ft 16/3 SJTW White Landscape Extension Cord	13A	NEMA 5-15
4404430	12	80870-0	40ft 16/3 SJTW Green Landscape Extension Cord	13A	NEMA 5-15
4408894	6	80871-7	80ft 16/3 SJTW Green Landscape Extension Cord	10A	NEMA 5-15
4410239	24	81057-4	6ft 18/2 SJTW Green Flood Light Kit	150W	NEMA 1-15
4417747	9	81058-1	3-Outlet Green Yard Stake w/ 6ft 14/3 SJTW Cord	15A	NEMA 5-15

* listed for outdoor use



Engine Block Heater Cord

- Red/blue double flashing power indicator light
- Cord stays flexible from -58°F up to 140°F
- Water & abrasion resistant and flame retardant
- Molded-on plug and connector with heavy-duty strain relief won't separate from cord
- cULus Listed for outdoor use




Orgill #	Shelf Pack	UPC # 0-54732-	Description	125V Rating	Plugs
7793540	12	80890-8	15ft 16/3 SJTW -50°C Blue 3-Outlet Engine Block Heater Cord w/ Red/Blue Double Flashing Indicator Light	13A	NEMA 5-15




Temperature Range -58°F to +221°F (-50°C to +105°C)

All-Weather Cords




- Locking connector keeps power tools safely connected
- Power indicator light in the end connector
- Cord stays flexible from -58°F up to 221°F
- Oil, water & abrasion resistant and flame retardant
- Molded-on plug and connector with heavy-duty strain relief won't separate from cord
- TPE rubber is 30% lighter weight than standard rubber cords
- Listed for outdoor use

Orgill #	Shelf Pack	UPC # 0-54732-	Description	125V Rating	Plugs
0134239	6	81955-3	25ft 16/3 SJEOW -50°C 75W Blue/Orange w/ Metal Bulb Guard	13A	NEMA 5-15
7705296	8	80884-7	25ft 14/3 SJEOW -50°C Blue/Orange w/ Lighted Locking Connector	15A	NEMA 5-15
7710189	8	80885-4	50ft 14/3 SJEOW -50°C Blue/Orange w/ Lighted Locking Connector	15A	NEMA 5-15
7712532	4	80886-1	100ft 14/3 SJEOW -50°C Blue/Orange w/ Lighted Locking Connector	13A	NEMA 5-15
7716012	8	80887-8	25ft 12/3 SJEOW -50°C Blue/Orange w/ Lighted Locking Connector	15A	NEMA 5-15
7716038	5	80888-5	50ft 12/3 SJEOW -50°C Blue/Orange w/ Lighted Locking Connector	15A	NEMA 5-15
0548560	5	81956-0	50ft 12/3 SJEOW -50°C Blue/Orange w/ 3-Outlet Lighted Connector	15A	NEMA 5-15
7755804	3	80889-2	100ft 12/3 SJEOW -50°C Blue/Orange w/ Lighted Locking Connector	15A	NEMA 5-15



Temperature Range -58°F to +140°F (-50°C to +60°C)

Cold-Weather Cords



- Power indicator light in the end connector
- Cord stays flexible from -58°F up to 140°F
- Water & abrasion resistant and flame retardant
- Molded-on plug and connector with heavy-duty strain relief won't separate from cord
- Listed for outdoor use

Orgill #	Shelf Pack	UPC # 0-54732-	Description	125V Rating	Plugs
3611514	12	81253-0	15ft 16/3 SJTW -50°C Blue w/ Lighted Connector	12A	NEMA 5-15
3668670	12	81254-7	25ft 16/3 SJTW -50°C Blue w/ Lighted Connector	13A	NEMA 5-15
3692126	12	81255-4	50ft 16/3 SJTW -50°C Blue w/ Lighted Connector	13A	NEMA 5-15
3706819	12	81257-8	25ft 14/3 SJTW -50°C Blue w/ Lighted Connector	15A	NEMA 5-15
3725009	6	81258-5	50ft 14/3 SJTW -50°C Blue w/ Lighted Connector	15A	NEMA 5-15
3736196	3	81259-2	100ft 14/3 SJTW -50°C Blue w/ Lighted Connector	13A	NEMA 5-15
0344911	6	81260-8	25ft 12/3 SJTW -50°C Blue w/ Lighted Connector	15A	NEMA 5-15
3744828	4	81261-5	50ft 12/3 SJTW -50°C Blue w/ Lighted Connector	15A	NEMA 5-15
3790326	2	81262-2	100ft 12/3 SJTW -50°C Blue w/ Lighted Connector	15A	NEMA 5-15



Appliance Cords

- Includes the most popular cords for air conditioners, ranges and dryers
- 3-wire range and dryer cords for use in homes in the USA built prior to 1996
- 4-wire range and dryer cords for use in homes built after 1996
- cULus or ETLus Listed



Orgill #	Shelf Pack	UPC # 0-54732-	Description	Plugs
4491114	25	80846-5	8ft 16/3 SJT Black Power Supply Cord	NEMA 5-15
7758576	20	81281-3	6ft 16/3 SPT-3 Gray Garbage Disposal Cord w/ Right Angle Plug	NEMA 5-15
7804438	14	81282-0	8ft 14/3 SJT Black/Orange 3-Outlet Shop Cord	NEMA 5-15
0526822	12	82093-1	15ft 14/3 SJT Black/Orange 3-Outlet Shop Cord	NEMA 5-15
4495982	15	80842-7	3ft 14/3 SPT-3 Beige Air Conditioner Cord	NEMA 5-15
4507158	15	80843-4	6ft 14/3 SPT-3 Beige Air Conditioner Cord	NEMA 5-15
4522637	15	80844-1	9ft 14/3 SPT-3 Beige Air Conditioner Cord	NEMA 5-15
4528865	12	80845-8	12ft 14/3 SPT-3 Beige Air Conditioner Cord	NEMA 5-15



Orgill #	Shelf Pack	UPC # 0-54732-	Description	Plugs
4535506	6	80847-2	4ft 10/3 SRDT 30A Gray Dryer Cord*	NEMA 10-30
4550257	6	80848-9	5ft 10/3 SRDT 30A Gray Dryer Cord*	NEMA 10-30
4560504	6	80849-6	6ft 10/3 SRDT 30A Gray Dryer Cord*	NEMA 10-30
4560926	12	80850-2	4ft 10/4 SRDT 30A Black Dryer Cord	NEMA 14-30
4570065	6	80851-9	6ft 10/4 SRDT 30A Black Dryer Cord	NEMA 14-30
4592697	6	80852-6	4ft 6/2 & 8/1 SRDT 50A Gray Range Cord*	NEMA 10-50
4594479	6	80853-3	6ft 6/2 & 8/1 SRDT 50A Gray Range Cord*	NEMA 10-50
4609830	15	80854-0	4ft 6/2 & 8/2 SRDT 50A Black Range Cord	NEMA 14-50
4623518	6	81087-1	6ft 6/2 & 8/2 SRDT 50A Black Range Cord	NEMA 14-50

* 3-wire range and dryer cords for use in the USA only





Household Cords

- Add 3 outlets for household appliances and lighting
- 3 polarized outlets in a molded plug for indoor use
- Includes attached safety cover for unused outlets
- cUL_{us} or ETL_{us} Intertek Listed for indoor use only

Orgill #	Shelf Pack	UPC # 0-54732-	Description	Plugs
4422663	25	80833-5	6ft 16/2 SPT-2 Brown 3-Outlet Household Cord	NEMA 1-15
4432241	25	80834-2	9ft 16/2 SPT-2 Brown 3-Outlet Household Cord	NEMA 1-15
4441358	25	80835-9	12ft 16/2 SPT-2 Brown 3-Outlet Household Cord	NEMA 1-15
4449088	25	80836-6	15ft 16/2 SPT-2 Brown 3-Outlet Household Cord	NEMA 1-15
8755407	25	81494-7	9ft 16/2 SPT-2 Green 3-Outlet Household Cord	NEMA 1-15
4455085	25	80837-3	15ft 16/2 SPT-2 Green 3-Outlet Household Cord	NEMA 1-15
4461687	25	80838-0	6ft 16/2 SPT-2 White 3-Outlet Household Cord	NEMA 1-15
4473526	25	80839-7	9ft 16/2 SPT-2 White 3-Outlet Household Cord	NEMA 1-15
4481545	25	80840-3	12ft 16/2 SPT-2 White 3-Outlet Household Cord	NEMA 1-15
4484614	25	80841-0	15ft 16/2 SPT-2 White 3-Outlet Household Cord	NEMA 1-15



Flat Plug & Office Cords

- Add 3 outlets for household appliances and lighting
- 3 outlets in a molded plug for indoor use
- Flat plug fits snugly in tight spots
- allowing furniture to be placed closer to the wall without damaging the cord
- cUL_{us} or ETL_{us} Intertek Listed for indoor use only

Orgill #	Shelf Pack	UPC # 0-54732-	Description	Plugs
7815087	18	81283-7	7ft 16/2 SPT-2 White 3-Outlet Flat Plug Household Cord (Polarized)	NEMA 1-15
7826696	14	81280-6	6ft 16/3 SPT-2 White 3-Outlet Flat Plug Home & Office Cord (Grounded)	NEMA 5-15
0537050	14	82090-0	6ft 16/3 SPT-2 Black 3-Outlet Flat Plug Home & Office Cord (Grounded)	NEMA 5-15
4194148	14	82444-1	10ft 16/3 SPT-2 White 3-Outlet Flat Plug Home & Office Cord (Grounded)	NEMA 5-15
0530907	14	82091-7	10ft 16/3 SPT-2 Black 3-Outlet Flat Plug Home & Office Cord (Grounded)	NEMA 5-15
0491647	10	82092-4	9ft 16/3 SPT-2 White 3-Outlet Office Cord (Grounded)	NEMA 5-15
5348784	9	83015-2	9ft 16/2 SPT-2 Midnight Black/White Indoor Fabric Extension Cord w/ Flat Plug	NEMA 1-15
5355102	9	83016-9	9ft 16/2 SPT-2 Cool Gray Indoor Fabric Extension Cord w/ Flat Plug	NEMA 1-15



Contractor Cords



LIFETIME WARRANTY



- Locking connector keeps power tools safely connected
- Power indicator light in the end connector
- Cord stays flexible from -58°F up to 221°F
- Oil, water & abrasion resistant and flame retardant
- Molded-on plug and connector with heavy-duty strain relief won't separate from cord
- cULus or ETL Intertek Listed for outdoor use

Orgill #	Shelf Pack	UPC # 0-54732-	Description	125V Rating	Plugs
7407919	12	80872-4	25ft 14/3 SJTOW Yellow Cord w/ Lighted Locking Connector	15A	NEMA 5-15
7431901	6	80873-1	50ft 14/3 SJTOW Yellow Cord w/ Lighted Locking Connector	15A	NEMA 5-15
7433675	3	80874-8	100ft 14/3 SJTOW Yellow Cord w/ Lighted Locking Connector	13A	NEMA 5-15
7452279	6	80875-5	25ft 12/3 SJTOW Yellow Cord w/ Lighted Locking Connector	15A	NEMA 5-15
7488661	4	80876-2	50ft 12/3 SJTOW Yellow Cord w/ Lighted Locking Connector	15A	NEMA 5-15
7526429	2	80877-9	100ft 12/3 SJTOW Yellow Cord w/ Lighted Locking Connector	15A	NEMA 5-15
7606908	4	80880-9	50ft 12/3 SJTOW Yellow Triple-Tap Cord w/ Lighted Connector	15A	NEMA 5-15
7526890	4	80878-6	50ft 10/3 SJTOW Yellow Cord w/ Lighted Locking Connector	15A	NEMA 5-15
7594864	2	80879-3	100ft 10/3 SJTOW Yellow Cord w/ Lighted Locking Connector	15A	NEMA 5-15
7673494	2	80881-6	50ft 10/3 SJTOW Yellow T-Blade Cord w/ Lighted Connector	20A	NEMA 5-20
7690308	2	80882-3	100ft 10/3 SJTOW Yellow T-Blade Cord w/ Lighted Connector	20A	NEMA 5-20
5990692	4	81904-1	25ft 10/4 STOW Yellow Twist-To-Lock Transfer Switch Cord	30A	NEMA L14-30
7701634	8	80883-0	2ft 12/3 STOW Yellow Triple-Tap w/ Lighted Connector	15A	NEMA 5-15
7979248	8	81295-0	3ft 12/3 SJTOW Yellow In-Line GFCI Triple-Tap w/ Lighted Connector	15A	NEMA 5-15
5366703	6	83012-1	5-Outlet Black/Yellow Workshop Tap 2-Port USB w/ 3.4A USB Charger & Stabilizing Screw	15A	NEMA 5-15
5370036	6	83011-4	5-Outlet Black/Yellow Power Hub 2-Port USB w/ 3.4A USB Charger	15A	NEMA 5-15

* listed for outdoor use L14-30P L14-30R 5-20P 5-20R 5-15P 5-15R 5-15R

Cord Management

- Conveniently holds extension cords, rope and wire of lengths up to: 16 AWG – 100ft, 14 AWG – 75ft, 12 AWG – 50ft



3070869



3145745



3075249



3103249



3056199



4108395Y

- 4 grounded outlets
- 25ft 16/3 SJT cord
- Built-in 10A resettable circuit breaker protects against overloads
- Built-in handle for portability
- cULus Listed for indoor use



3121787



4785028

Orgill #	Shelf Pack	UPC #	Description
3121787	12	82390-1	Yellow "S" Cord Lock
3056199	12	82386-4	Black Cord Carry Strap
3103249	12	82389-5	Black Cord Ladder
3075249	6	82388-8	Black Cord Storage Wheel
3070869	6	82387-1	Black Cord Storage Reel w/ Stand
3145745	4	82392-5	Black Cord Storage Wheel w/ Metal Stand
4108395Y	4	82391-8	4-Outlet Yellow/Black Portable Power Station w/ 25ft 16/3 SJT Power Cord
4785028	2	82382-6	48 LED Yellow Trouble Light w/Outlet & 30ft 16/3 SJTW Metal Cord Reel, 5A Circuit Breaker Overload Protection

Multimedia Surge Protectors

- Designed for use with home theater & home office electronic equipment
- Built-in 2-port USB charger charges cell phones, tablets and other USB powered devices without using AC outlets
- Superior joule ratings & voltage protection ratings
- CATV, satellite, phone and/or dsl/broadband protection features
- Limited lifetime warranty and connected equipment protection
- cULus or ETL Intertek Listed



4642294

8155244

Orgill #	Shelf Pack	UPC # 0-54732-	Description
4636569	4	82207-2	4-Outlet (3+1) White 1200J Surge w/ 4ft Cord, Right Angle Plug, 2-Port USB Charger (2.1A)
8155244	4	80911-0	6-Outlet (5+1) White 1800J Surge w/ 4ft Cord, Right Angle Plug, 2-Port USB Charger (2.1A)
8168015	2	80913-4	8-Outlet (5+3) Black 3600J Surge w/ 6ft Cord, Right Angle Plug, 1 in/2 out RJ11/RJ45 Combo, 1 in/1 out Coax, 2-port USB charger (2.1A)
4642294	2	80914-5	12-Outlet (6+6) Black 4200J Surge w/ 6ft Cord, Right Angle Plug, 1 in/2 out RJ11/RJ45 Combo, 1 in/1 out Coax, 2-port USB Charger (2.1A)

Household Surge Protectors

- Full, 3-line protection against surges through hot, neutral or ground lines
- Superior joule ratings & voltage protection ratings
- All surge strips have lighted on/off switch with built-in circuit breaker to prevent against overloads
- Limited lifetime warranty
- cULus or ETL Intertek listed



8139164

8127839

9821968

Orgill #	Shelf Pack	UPC # 0-54732-	Description
8032278	8	80902-8	1-Outlet White 900J Surge Tap, Audible Alarm
0751057	8	82695-7	5-Outlet (3+2) White 900J Surge Tap
8112807	12	80906-6	6-Outlet White 400J Surge Protector w/ 18in Cord, Straight Plug
0569616	12	82095-5	6-Outlet White 750J Surge w/ 3ft Cord, Straight Plug
8127839	12	80907-3	6-Outlet Black 1000J Surge Protector w/ 4ft Power Cord, Auto-Shutdown, Right Angle Plug
9821968	8	81311-7	6-Outlet White 1000J Surge Protector w/ 8ft Cord
8139164	4	80908-0	6-Outlet (4+2) Black 1150J Metal Surge Protector w/ 15ft Power Cord, Auto-Shutdown, Right Angle Plug

USB Chargers w/Surge Protection



- Equipped with USB charging ports & AC outlets
- AC outlets are equipped with Surge Protection
- USB chargers charge cell phones, tablets and other USB powered devices without using AC outlets
- Built-in charging indicator lights show when devices are fully charged
- 20% Faster USB charging than standard 2.1A USB chargers
- Limited lifetime warranty and connected equipment protection

cULus or ETLus Listed

Orgill #	Shelf Pack	UPC # 0-54732-	Description
2905404	8	82691-9	1-Outlet White 150J 1-Port 2.4A USB Charger w/ Green Charging Indicator Light, Protected Green LED Light
2920478	8	82692-6	2-Outlet White 450J 2-Port 3.4A USB Charger w/ Red & Green Charging Indicator Lights, Protected Green LED Light
2970325	8	82694-0	3-Outlet White 950J 2-Port 3.4A USB Charger w/ Red & Green Charging Indicator Lights, Protected and Grounded Green LED Light
0804377	8	82696-4	6-Outlet White 1200J 2-Port 3.4A USB Charger w/ Red & Green Charging Indicator Lights, Protected and Grounded Green LED Light
3069515	8	82697-1	6-Outlet (3-Fixed Rotating) White 1200J 2-Port 3.4A USB Charger w/ Red & Green Charging Indicator Lights, Protected Green LED Light



USB Chargers

- 2-port USB chargers charge cell phones, tablets and other USB powered devices without using AC outlets
- Built-in charging indicator lights show when devices are fully charged
- 20% Faster USB charging than standard 2.1A USB chargers

cULus or ETLus Listed

Orgill #	Shelf Pack	UPC # 0-54732-	Description
0741215	8	82688-9	2-Port White 3.4A USB Charger w/ Folding Plug w/ Red & Green Charging Indicator Lights
2648053	8	82689-6	2-Outlet White 2-Port 2.4A USB Charger w/ Green Charging Indicator Lights
5334735	12	83013-8	2-Outlet 2-Port USB 2.1A USB Charger Black Power Strip w/ 6ft Black/ White Fabric Cord
5342084	12	83014-5	2-Outlet 2-Port USB 2.1A USB Charger White Power Strip w/ 6ft Platinum/ White Fabric Cord

Power Strips

- Convert one outlet into many
- Upgraded features like low profile plugs
- Built-in circuit breaker switches to prevent against overloads
- 5-year warranty

cUL^{us} or cETL^{us} Intertek Listed



Orgill #	Shelf Pack	UPC # 0-54732-	Description
7915655	12	80896-0	6-Outlet White Power Strip w/ 18in Power Cord, Straight Plug
7982861	12	81297-4	2pk- 6-Outlet White Power Strips w/ 18in Cord, Right Angle Plug
7930365	12	80897-7	6-Outlet White Power Strip w/ 3ft Cord, Straight Plug
0577858	12	82096-2	6-Outlet Black Power Strip w/ 3ft Cord, Right Angle Plug
7958085	8	80898-4	6-Outlet White Power Strip w/ 8ft Cord, Right Angle Plug
0566885	12	82094-8	6-Outlet Black Metal Power Strip w/ 3ft Cord, Right Angle Plug
7962657	6	80899-1	6-Outlet Black Metal Power Strip w/ 10ft Cord, 2 Transformer-Spaced Outlets
8005118	4	80900-4	12-Outlet Black Metal Power Strip w/ 6ft Cord

Power Taps

- Convert one outlet into many
- Upgraded features like photocell nightlights and wide spaced outlets for transformer plugs

cULus or ETLus Listed
UL Intertek ETL Intertek

0605139



7828007



7876717



7822976



7951486



0588822

Orgill #	Shelf Pack	UPC # 0-54732-	Description
2167286	8	82687-2	1-Outlet White Energy Saver Tap w/ On/Off Switch
2816197	6	82690-2	4-Outlet White Indoor Power Tap w/ Remote Switch
7951486	40	81317-9	Orange Triple-Tap Adapter
7828007	8	80892-2	90 Degree Yellow Triple-Tap
0605139	8	82099-3	2pk 3-To-2 Gray tAdapter
0588822	8	82098-6	3-Outlet White Grounded Swivel Power Tap
7822976	8	80891-5	3-Outlet White Power Tap w/ Photocell Nightlight
7843006	8	80893-9	6-Outlet White Power Tap
2066686	8	82686-5	3-to-2 Clear Grounding Adapter w/ Power Indicator Light
7876717	8	80895-3	6-Outlet White Power Tap w/ Photocell Nightlight

1-Outlet 24-Hour Mechanical Timer

- 24-Hour repeating cycle turns outlet on & off at the same time daily
- Programmable in 30-minute time intervals provides 48 setting options in a 24-hour period
- Pass-thru outlet design easy access for outlet use
- On/off override switch on top convenient one-touch programming bypass
- Power specifications - 8A Resistive; 4A Tungsten; 1/2 Horsepower



Orgill #	Shelf Pack	UPC #	Description	125 VAC Rating	Plugs
9001165	12	0-54732-81926-3	1-Outlet White 24-Hour Mechanical Timer w/ Pass-Thru Outlet	60 Hz	NEMA 1-15



2-Outlet 24-Hour Heavy Duty Mechanical Timer

- 24-Hour repeating cycle turns outlets on & off at the same time daily
- Programmable in 30-minute time intervals provides 48 setting options in a 24-hour period
- “Reverse” ground-pin placement when plugged into wall receptacle, unit accepts most right-angle and transformer plugs
- On/off override switch on top convenient one-touch programming bypass
- Power specifications - 15A Resistive; 10A Tungsten; 1/2 Horsepower



See Fig. 1 and 2 on page 38

Orgill #	Shelf Pack	UPC #	Description	125 VAC Rating	Plugs
9058801	6	0-54732-81927-0	2-Outlet White Heavy Duty 24-Hour Mechanical Timer	60 Hz	NEMA 5-15



1-Outlet 24-Hour Digital Timer



See Fig. 1 on page 38

- 24-Hour repeating cycle turns outlet on & off at the same time daily
- 4 Programmable on/off settings set up to 4 programs that repeat daily
- Random “Vacation” mode adjusts on/off preset times by up to 30 minutes for a “lived-in” look
- Quick charge, initial 30 minute charge provides power to program the timer while unplugged
- Rechargeable battery backup maintains timer settings during power outages
- On/off override button for convenient one-touch programming bypass
- Power specifications - 8A Resistive; 4.6A Tungsten; 1/2 Horsepower

Orgill #	Shelf Pack	UPC #	Description	125 VAC Rating	Plugs
9066119	6	0-54732-81928-7	1-Outlet White Digital Timer w/ 4 Programmable 24-Hour Settings	60 Hz	NEMA 1-15




2-Outlet 7-Day Extra Heavy Duty Digital Timer



See Fig. 1, 2 and 3 on page 38

- 7-Day programmable with 16 customizable on/off settings
- Super random “lived-in” mode turns outlets on & off multiple times throughout programmed “on” times
- “Reverse” ground-pin placement when plugged into wall receptacle, unit accepts most right-angle and transformer plugs
- Daylight savings time button easily adjust time of day by 1 hour without having to reprogram the settings
- Quick charge initial 30 minute charge provides power to program the timer while unplugged
- Rechargeable battery backup maintains timer settings during power outages
- On/off override button gives convenient one-touch programming bypass
- Extra heavy duty power specifications - 15A Resistive; 15A Tungsten; 1 Horsepower. Use with home electronics and appliances requiring higher wattage/amp consumption

Orgill #	Shelf Pack	UPC #	Description	125 VAC Rating	Plugs
9075839	4	0-54732-81929-4	2-Outlet White Extra Heavy Duty Digital Timer w/ 16 Programs	60 Hz	NEMA 5-15



Light Sensing Outdoor Countdown Timers

- Turn-dial select choose from 5 modes: 2hr, 4hr, 6hr, 8hr or dusk to dawn
- On/off option easily turns off or set for “always on”
- Interruption-free programming headlights, porch lights and street lamps will not interfere with programming
- “Reverse” ground-pin placement, when plugged into wall receptacle, unit accepts most right-angle and transformer plugs
- Photocell activated activates programming and resets only after Programming cycle has completed
- Power specifications - 15A Resistive; 8A Tungsten; 1/3 Horsepower



See Fig. 4 on page 39

Orgill #	Shelf Pack	UPC # 0-54732-	Description	125 VAC Rating	Plugs
9132499	4	81931-7	2-Outlet Black Outdoor Countdown Timer w/ Photocell Activation	60 Hz	NEMA 5-15
4271599	6	82458-8	2-Outlet Black Outdoor Touch Sensor Countdown Timer w/ Photocell Activation, Right Angle Plug	60 Hz	NEMA 5-15
4247201	8	82457-1	6-Outlet Green Outdoor Touch Sensor Countdown Timer w/ Yard stake, 6ft Cord	60 Hz	NEMA 5-15



2-Outlet 24-Hour Heavy Duty Outdoor Timer

- 24-Hour repeating cycle turns outlets on & off at the same time daily
- Programmable in 30-Minute time intervals provides 48 setting options in a 24-Hour period
- “Reverse” ground-pin placement, when plugged into wall receptacle, unit accepts most right-angle and transformer plugs
- Clear weather-guard cover provides visibility to programming and protects timer mechanism from inclement weather
- On/off override switch on top convenient one-touch programming bypass
- Power specifications - 15A Resistive; 10A Tungsten; 1/2 Horsepower



See Fig. 5 on page 39

Orgill #	Shelf Pack	UPC # 0-54732-	Description	125 VAC Rating	Plugs
9126590	4	81930-0	2-Outlet Black Outdoor 24-Hour Mechanical Timer	60 Hz	NEMA 5-15



2-Outlet Outdoor Remote Control Switch

- Wireless range up to 80ft (24.3m)
- Includes one 2-button remote transmitter
- “Reverse” Ground-pin placement when plugged into wall receptacle, unit accepts most right-angle and transformer plugs
- Replaceable CR2032 3V button-cell battery included
- Power specifications - 15A Resistive; 8A Tungsten



Fig. 5

See Fig. 5 on page 39

Orgill #	Shelf Pack	UPC #	Description	125 VAC Rating	Plugs
9164633	4	0-54732-81935-5	2-Outlet Black Outdoor Remote Control Switch w/ Wireless Transmitter	60 Hz	NEMA 5-15



2-Outlet Indoor Remote Control Switch

- Wireless range up to 80ft (24.3m)
- Includes one 2-button remote transmitter
- Replaceable CR2032 3V button bell battery included
- Packaging positions outlets “UP” stronger marketing message to consumers
- Power specifications - 15A Resistive; 5A Tungsten



Orgill #	Shelf Pack	UPC #	Description	125 VAC Rating	Plugs
9163692	4	0-54732-81934-8	2-Outlet White Indoor Remote Control Switch w/ Wireless Transmitter	60 Hz	NEMA 5-15



7-Day Customizable In-Wall Digital Timer

- 7-Day programmable with 18 customizable on/off settings
- Random "Vacation" mode adjusts on/off preset times by up to 30 minutes for "Lived-in" look
- Daylight savings time button easily adjust time of day by 1 hour without having to reprogram the settings
- Front door panel doubles as on/off override - convenient one-touch push bypasses programming
- System on/off switch turns entire unit and programming on or off
- Includes white faceplate & mounting hardware, all-in-one solution
- Rechargeable battery backup maintains timer setting during power outages
- Single pole/direct wire controls devices from one location
- Neutral wire required for installation
- Power specifications - 120VAC / 60 Hz;
15A Resistive (General Purpose); 10A Tungsten (Incandescent);
10A Ballast (Fluorescent); 1/2 Horsepower (Motor)



Orgill #	Shelf Pack	UPC #	Description
9139981	4	81933-1	In-Wall White Digital Timer w/ 18 Customizable 7-Day Settings

Light Controls

- Photocell adapters turn lights on at dusk and off at dawn



Orgill #	Shelf Pack	UPC #	Description
8687576	6	82952-1	3-pack candelabra base dusk to dawn light control w/ Electric Switch
8691909	6	82954-5	Dusk to dawn light control w/ Electronic Switch
8744609	6	82958-3	"Flicker Free" Dusk to Dawn Light Control w/ Mechanical Switch
8731556	6	82956-9	"Flicker free" dusk to dawn flood light control w/ Par38 Floodlight Compatibility

Indoor Wi-Fi Smart Outlet



- Compact design enables use of second outlet
- Control Lights and Devices from Anywhere
- Easy setup with free iOS & Android Apps
- Only needs Wi-Fi



Power specifications
125V, 60Hz
15A Resistive - 1875W
5A Tungsten - 625W



Orgill #	Shelf Pack	UPC #	Description
0052530	4	0-54732-83131-9	Indoor Wi-Fi Control Smart Outlet

In-Wall Wi-Fi Smart Outlet



- Control Lights and Devices from Anywhere
- Easy setup with free iOS & Android Apps
- Only needs Wi-Fi



Power specifications
125V, 60Hz
15A Resistive - 1875W
15A Tungsten - 1875W



Orgill #	Shelf Pack	UPC #	Description
0890020	4	0-54732-83134-0	Wi-Fi Controlled In-Wall Receptacle (1Always on, 1 Wi-Fi Controlled)

Outdoor Wi-Fi Smart Outlet

- Control Outdoor Lights and Devices from Anywhere
- Easy setup with free iOS & Android Apps
- Only needs Wi-Fi

Power specifications
 125V, 60Hz
 15A Resistive - 1875W
 8A Tungsten - 1000W



Orgill #	Shelf Pack	UPC #	Description
0605352	4	83132-6	Outdoor Wi-Fi Control Smart Outlet

Outdoor Wi-Fi Stake Smart Outlet

- 6 grounded outlets controlled simultaneously
- Control Outdoor Lights and Devices from Anywhere
- Resettable circuit breaker button
- Easy setup with free iOS & Android Apps
- Only needs Wi-Fi

Power specifications: 125V, 60Hz
 15A Resistive - 1875W
 15A Tungsten - 1875W



Orgill #	Shelf Pack	UPC #	Description
0613406	4	83133-3	6-Outlet Wi-Fi Control Outdoor Power Stake w/ 6 ft power cord

Angled Housing Design

Makes Unit Easy to Read and Program

 **Fig. 1**



“Reverse” Ground-Pin Placement

When Plugged into Wall Receptacle, Unit Accepts Most Right-Angle and Transformer Plugs

 **Fig. 2**



Super Random “Lived-In” Mode

Turn Outlets On and Off Multiple Times Throughout Programmed “On” Times

R **Fig. 3**



For a “REAL” Lived-In
Look While People are
Away from Their Home

Light Sensing Photocell Activates the “Interruption-Free Programming”

Headlights, Porch Lights and Street Lamps Will Not Interfere with Unit

Fig. 4 - Light Sensing Photocells

- Detects Porch Lights being Turned On & Off
- Detects Headlights from Passing Cars
- Detects Street Lamps that Flicker On & Off



- ✓ Car Headlights
- ✓ Street Lamps
- ✓ Porch Lights

Programming is **Not** disrupted when lights are detected by the photocell




“Reverse” Ground-Pin Placement

When Plugged into Wall Receptacle, Unit Accepts Most Right-Angle and Transformer Plugs

Fig. 5 - Reverse ground pins

The Outlets Have Been Rotated 180° to Allow for Right Angle Plugs and Transformers to Easily Connect



- ✓ Right Angle Plugs
- ✓ Transformer Plugs

